

### Current Date 05Sep2017

### 330G SKID STEER

330G Base Equipment Engine: 4 Cylinder Turbo-Charged Electronic Injection System Auto Idle Glow Plugs Automatic Engine Shutdown with Alarm Tri-Cool Engine and Hydraulic cooling package Hydraulic Cool-on-Demand Variable Speed Fan Dual Element Air Cleaner Auto Fan Belt Tensioner John Deere "Cool Gard II" Extended Life Anti-Freeze John Deere Plus 50 10w30 engine oil 5 Micron fuel filter with Water Separator 100 Micron secondary fuel 26 Gallon (97 L) Fuel Tank Final Drive System and Undercarriage: 2-Speed Transmission Servo Axial Piston **Hydrostatic Pumps** Radial Piston Hydrostatic Motors Four Wheel Drive Four 100 HD continuous loop chain drive Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch
Module
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD
Digital Readout:
Hourmeter
Engine RPM
Battery Voltage

**Battery Not Charging** Hydraulics Locked Out Park Brake Illumination Hydraulic Oil Over Temp 2-Speed Engaged Air Filter Restriction Hydraulic Oil Filter Restriction Lap Bar Switch Seat Switch Door Open Switch **Engine Preheat** Low Engine Oil Pressure Automatic Engine Preheat Electrical: 12-Volt Electrical Battery 925 cca w/150 minute reserve capacity Alternator 70 Amp Halogen Work Lights, 2 Front and 1 Rear Programmable courtesy lighting shutoff system Hydraulics: 3-Spool Open Center Valve System Pressure 3450 psi 5 Micron Hydraulic Filter John Deere Boom & Bucket Cylinders w/Cushioned Boom

Connect-under-pressure auxiliary hydraulic couplers Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system Auxiliary Hydraulics Lock-out Override Boom Float Performance Characteristics:

Gross Horsepower 90 Hp (67 Kw)
Rated Operating Capacity 3,000 lbs. (1,362 kg)
Tipping Load 6,000 lbs.

Travel Speed High 12 mph (19.3 km/h)Construction Bucket Breakout Force 7,600 lbs. (3,450 kg)Boom Breakout Force 6,000 lbs. (2,724 kg) Width without Attachment 78 in. (1.98 m) Length without Attachment 122 in. (3.10 m) Height to Top of ROPS 86.3 in. (2.19 m) Height to Hinge Pin 132 in. (3.35 m)Machine Operating Weight 9,950 lbs. (4,517 kg) Operator Protection/Comfort: FOPS / ROPS Roll-Guard with Side Screens In-Cab Boom Lockout System Adjustable Interlocking Operator Presence Lap Bar System Retractable Seat Belt Rearview Mirror Back-up Alarm Horn Deluxe Headliner 12V power port Cell Phone cargo net storage

Itrigal Grab Handles for Easy Entry / Exit Top and Rear Windows Water Shedding Deluxe Seating Convenient Tie Downs Attachment Coupler: John Deere patented Quik-Tatch system (no grease

Interior Dome Lighting

Cup Holder

Engine Coolant Temp.

(2,724 kg)

required) Warranty:

Hydraulic Oil Temp. Job Clock Hydraulic Pump Flow 24 gpm (91 L/m)

John Deere 1st Year full machine/Unlimited hour

Service Codes Diagnostic Codes Configuration Codes Machine Operating Weight 9,950 lbs. (4,517 kg) Travel Speed Low 7 mph machine/Unlimited hours w/2nd year of Powertrain plus Hydraulics up to 2000

Indicator Warning Lights: (11.3 km/h)

hours

### Required - You must select one from each category

### BASE MACHINE

F.O.B. Dubuque, Iowa

Description Code Price 330G SKID STEER 0BC0T \$54,170.00

### SKID STEER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
330G Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment

### Utility Package With ISO Pattern Joystick Controls

0816 (\$534.00)

#### Package includes:

- \* EH (ISO Pattern) Joystick Controls (0950)
- \* Less JDLink (1741)
- \* English Operator's Manual & Decals (1501)
- \* 14x17.5 14 PR Titan HD2000-II (2320)
- \* Standard Base Hydraulics (3000)
- \* Ride Control (3100)
- \* 2 in. Seat Belt (4000)
- \* Power Quik-Tatch (5001)
- \* Canopy ROPS / FOPS (5200)
- \* Standard Lighting Package (5500)
- \* Mechanical Suspension Seat (Vinyl) (6001)
- \* Standard Fan Drive (6500)

### Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package

0821

(\$1,475.00)

### Package includes:

- \* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
- \* English Operator's Manual & Decals (1501)
- \* Less JDLink (1741)
- \* 14x17.5 14 PR Galaxy Hulk (2450)
- \* Standard Base Hydraulics (3000)
- \* Ride Control and Hydrulic Self-Level Up (3100)
- \* 3 in. Seat Belt with Shoulder Harness (4003)
- \* Power Quik-Tatch (5001)
- \* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- \* Deluxe Lighting Package (5550)
- \* Air Suspension Seat (Cloth with Heat) (6006)
- \* Standard Fan Drive (6500)
- \* Rear View Camera (8042)
- \* Radio, AM/FM with Bluetooth (8342)
- \* Foot Rest with Floormat (8380)

## Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow

0826 (\$1,835.00)

#### Package includes:

- \* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
- \* English Operator's Manual & Decals (1501)
- \* Less JDLink (1741)
- \* 14x17.5 14 PR Galaxy Hulk (2450)
- \* High Flow Hydraulics (3002)
- \* Ride Control and Hydrulic Self-Level Up (3100)
- \* 3 in. Seat Belt with Shoulder Harness (4003)
- \* Power Quik-Tatch (5001)
- \* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- \* Deluxe Lighting Package (5550)
- \* Air Suspension Seat (Cloth with Heat) (6006)
- \* Reversing Fan Drive (6501)
- \* Rear View Camera (8042)
- \* Engine Air Precleaner (8060)
- \* Radio, AM/FM with Bluetooth (8342)
- \* HD Rear Grille (8370)
- \* Foot Rest with Floormat (8380)

### JDLINK

# Description JDLink Ultimate Cellular for the Americas, excluding Costa

Code Price 1700 \$1,200.00

Rica

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink 1741 No Charge

#### ENGINE

# Description Code Price Engine - Turbocharged 1301 \$2,847.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L 4 Cylinder Turbo-Charged 91.2 Gross hp (67.1 kW) 87 Net hp (65.0 kW)

### OPERATOR STATION

Description Code Price
Canopy - ROPS / FOPS 5200 In Base Price

		Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,473.00
		Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		
_		Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,672.00
		Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		
~	LIGHT	ING		
		Description	Code	Price
		Standard Lighting Package	5500	In Base Price
		Includes 2 front halogen work headlights and rear work light.		
		Deluxe Lighting Package	5550	\$900.00
		Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		
~	SEAT			
		Description	Code	Price
		Mechanical Suspension Seat (Vinyl)	6001	In Base Price
		Vinyl, Air-Ride Seat	6003	\$452.00
_		Air Suspension Seat (Cloth with Heat)	6006	\$625.00
		For use with Cab 5204.		
~	SEAT	BELTS		
		Description	Code	Price
		2-Inch Seat Belt	4000	In Base Price
		For use with Canopy - ROPS / FOPS (5200)		
-		2-Inch Seat Belt with Shoulder Harness	4001	\$212.00
-		3-Inch Seat Belt with Shoulder Harness	4003	\$279.00
_	CONT	ROLS		
	001111			
		Description	Code	Price
		E-H (ISO Pattern) Joystick Controls	0950	In Base Price
		ISO-H Switchable Controls and EH Joystick Performance Package	0953	\$1,035.00
		Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.  Joystick handles fully populated with all buttons.		
		Switchable Accelerator/Decelerator foot throttle.		
		EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode		
		Orocpor Moue		

	Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness & Dash mounted 4th function Rocker Switch		
_	3-Way Switchable Controls and EH Joystick Performance Package	0993	\$2,185.00
	Includes Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick control modes.		
	Includes Switchable Accelerator/Decelerator with right side foot pedal throttle when operating in ISO or H-Pattern Joystick Control mode.		
	EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode		
	Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness & Dash mounted 4th function Rocker Switch		
_	HYDRAULIC OPTIONS		
	Description	Code	Price
	Standard Hydraulics	3000	In Base Price
	Pump Flow = 23.5 gpm		
	High Flow Hydraulics	3002	\$1,830.00
	Pump Flow = 36.5 gpm.		
	Includes 1/2 in Auxiliary coupler sizes.		
~	RIDE CONTROL		
	Description	Code	Price
	Ride Control and Hydraulic Self-Level Up	3100	\$1,250.00
	Less Ride Control and Self-Level Up	3101	In Base Price
_	QUIK-TATCH		
	Description	Code	Price
	Manual Quik-Tatch	5000	In Base Price
	Power Quik-Tatch	5001	\$724.00
_	COOLING FAN		
	Description	Code	Price
	Standard Fan Drive	6500	In Base Price
	Reversing Fan Drive	6501	\$830.00
₩	WHEELS AND TIRES		
	Description	Code	Price
	12x16.5 10 PR Titan HD2000-III	2070	\$2,147.00
	Gives 70.3 in. Skid Steer width at narrow setting Gives 73.2 in. Skid Steer width at wide setting		

	12x16.5 10 PR SKS Extra-Wall	2310	\$1,644.00
	Gives 70.0 in. Skid Steer width at narrow setting Gives 73.3 in. Skid Steer width at wide setting		
-	14x17.5 14 PR Titan HD2000-II	2320	\$3,362.00
	No narrow setting possible Not compatible with Steel Tracks.		
-	14x17.5 12 PR SKS Extra-Wall	2330	\$2,887.00
	For use primarily in dirt applications. No narrow setting possible.		
	12x16.5 Treaded Brawler SolidFlex	2410	\$4,300.00
	Gives 73.3 in. Skid Steer width at wide setting Not Compatible with Tracks		
	14x17.5 Treaded Brawler SolidFlex	2420	\$5,700.00
	Gives 73.5 in. Skid Steer width at wide setting Not Compatible with Steel Tracks.		
	12x16.5 12 PR Galaxy Hulk	2440	\$2,470.00
	14x17.5 14 PR Galaxy Hulk	2450	\$3,865.00
_	Not compatible with Steel Tracks.		
~	OPERATOR MANUAL & DECALS		
	Description	Code	Price
	English Operator's Manual & Decals	1501	No Charge
_	For use with FT4 Engine		
	English Operator's Manual & No Text Decals	1503	No Charge
	Not for Canada For use with IT4/Stage IIIB Engine		
	French Operator's Manual & Decals	1510	No Charge
_	For use with FT4 Engine		
	French Operator's Manual & No Text Decals	1512	No Charge
	Not for Canada For use with IT4/Stage IIIB Engine		
	Spanish Operator's Manual & Decals	1515	No Charge
_	For use with FT4 Engine		
Op <sup>.</sup>	tional - Select as desired		
~	KITS AND ACCESSORIES - FACTORY INSTALLED		
	Description	Code	Price
	Rear View Camera	8042	\$850.00
	Includes 5" LCD monitor.		
	Cold Start Package	8050	\$303.00

Includes Block Heater and XR Hydraulic Oil.		
Engine Air Precleaner	8060	\$455.00
Hazard Warning Lights	8075	\$159.00
Chrome Exhaust	8225	\$328.00
Counterweight, Stackable (Single Set)	8300	\$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	\$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)		
Counterweight, Stackable (Third Set)	8310	\$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)		
Radio, AM/FM with Bluetooth	8342	\$600.00
HD Rear Grille	8370	\$486.00
Provides protection to cooling package.		
Foot Rest with Floormat	8380	\$144.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		
BUCKETS:		
See Attachments for Multi-Purpose Buckets		
Description	Code	Price
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	\$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	\$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	\$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	\$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	\$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	\$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	\$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	\$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	\$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	\$1,500.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	9425	\$2,500.00

~	EXPORT CODES		
	Description Code		Price
_	SPECIAL EQUIPMENT - ORDER AS DESIRED		
	Description	Code	Price
	Rust Preventative	9909	\$160.00
	Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL.  Not for use with export shipments as export pricing includes rust prevention.		
~	DEALER-INSTALLED KITS		
	Description	Code	Price
	BUCKETS		
_	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	\$1,339.00
	78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	\$1,353.00
_	78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	\$1,138.00
_	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	\$1,339.00
_	84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	\$1,286.00
_	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	\$1,422.00
_	84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	\$1,447.00
	84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	\$1,205.00
_	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	\$1,500.00
	90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	\$2,500.00
	<u>Buckets</u>		
	78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	\$1,149.00
	78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	\$1,040.00
	<u>Cutting Edges</u>		
_	76 in. Bolt-On Cutting Edge	T223081	View Price
	Requires additional hardware; see Parts.		
	78 in. Bolt-On Cutting Edge	KV12758	View Price
_	Requires additional hardware; see Parts.		
	84 in. Bolt-On Cutting Edge	KV12471	View Price
	Requires additional hardware; see Parts.		
	Kits and Accessories		
_	Attachment Control	BYT10040	\$415.00

Joystick handles fully populated with all buttons. 3 and 14 Pin electrical attachment control harness. Dash mounted 4th function Rocker Switch.		
Backhoe Attachment Mounting Kit	AT466358	\$119.00
Beacon Warning Light	BYT10048	\$320.00
Block Heater Kit	AT439115	\$112.00
Bobcat Attachment Harness Adapter Kit	AT417736	\$344.00
Must have the 14 pin attachment connector already installed.		
Boom Mounted Hose Guide Kit	AT436025	\$102.00
Counterweight, Stackable (Single Set)	AT348835	\$356.00
Includes 2 - 86 lb weights (39 Kg)		
Deluxe Light Package	BYT10041	\$1,200.00
Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		
EH Joystick Performance Package	BYT10454	\$593.00
Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		
Engine Air Pre-Cleaner Kit	AT439117	\$457.00
Field Kit, Reversing Fan	BYT10356	\$834.00
Kit is compatible with G series models (331G, 333G, 330G & 332G).		
Foot Throttle Removal Kit	AT410246	\$52.00
HD Rear Grille	BYT10058	\$593.00
Provides protection to cooling package.		
Hazard Warning Lights	BYT10050	\$127.00
High Spring Effort Joysticks	AT433683	\$766.00
JDLink Hardware Kit	BYT10060	\$100.00
Joystick Pod Mounted Throttle	AT419446	\$152.00
Radio, AM/FM with Aux Input and Bluetooth	BYT10042	\$575.00
Streaming Bluetooth, no Hands-Free.		
Rear View Camera	BYT10051	\$850.00
Includes 5" LCD monitor.		
SMV Sign	BYT10059	\$77.00
	D1110007	Ψ77.00

Severe Duty Door	AT438266	\$3,076.00
Includes windshield wiper. Required to meet ISO 8084 Forestry Applications. Severe Duty Door Hardware kit is also needed.		
Severe Duty Door Hardware Kit	BYT10085	\$170.00
Single Point Lift System	AT469520	\$1,540.00
Standard Door, Field Kit	AT438268	\$1,030.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	\$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	\$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	\$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	\$827.00
Wheels and Tires, Four		
12x16.5 10 PR SKS Extra-Wall	KV21876	\$1,577.00
12x16.5 10 PR Titan HD2000-III	KV14674	\$1,817.00
14x17.5 12 PR SKS Extra-Wall	KV21887	\$2,418.00
14x17.5 14 PR Titan HD2000-III	KV21892	\$2,959.00
Wheels and Tires, Single (Left Hand Only)		
14x17.5 14PR Galaxy Hulk, Left	AT446729	\$923.00
Wheels and Tires, Single (Right Hand Only)		
12x16.5 10 PR SKS Extra-Wall	KV23687	\$396.00
12x16.5 10 PR Titan HD2000-III	KV23689	\$468.00
14x17.5 12 PR SKS Extra-Wall	KV23690	\$615.00
14x17.5 14 PR Titan HD2000-III	KV23691	\$753.00
14x17.5 14PR Galaxy Hulk, Right	AT446730	\$923.00

Description Code Price

G.R. Mfg.

G.R. Manufacturing, Inc. \* Kits listed below must be ordered through John Deere. \* F.O.B. Trussville, Alabama \* All kits include installation instructions \* All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Bucket Cylinder Rod Guard	AT397454	\$320.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	\$280.00
Guard, Cab Roof Debris	BYT10263	\$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	\$320.00
Guard, Front Single and Dual Rear Worklights	BYT10259	\$218.00
Guard, Rear Bumper	BYT10261	\$1,402.00
Level II FOPS Plate	AT445276	\$602.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		
Rear Window/Side Window Cab Guards	BYT10258	\$680.00
Severe Duty Forestry Package	BYT10264	\$4,420.00
Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.		
Toe Guard and Door Upgrade Kit	AT372950	\$492.00
Required to meet ISO 8084 Forestry Applications		

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |